



# Norden Attachments

Bale Spears, Pallet Forks, Buckets and Graders

# Bale Spears

Norden Skid Steer Bale Spears are available in three different options. All models are equipped with Conus 2 spears, each with a 4,046 lb. load capacity and featuring an overall diameter of 1.73”.

Norden Euro Single Bale Spear is available with Euro/Global Carrier Quick Attach that fits all makes and models of Euro-style front loaders.

## Skid Steer Single Bale Spear

- Handles large round bales of hay or straw
- A single 49” Conus 2 spear centered with 43” usable length
- Two anti-rotation spikes at 27” spacing
- 4,046 lb lift capacity @ 20”
- Highest quality spear forged in Germany



SSBS-1

## Skid Steer Double Bale Spear

- Ideal for large round bales of hay or straw
- Two 49” Conus 2 spear at 39” center with 43” usable length
- Walk-through center for easy access to skid steer cab
- 4,046 lb lift capacity @ 20”
- Highest quality spear forged in Germany



SSBS-2  
w/ extension

## Skid Steer Triple Bale Spear

- Ideal for large square bales of hay or straw
- Three 39” Conus 2 spear at 39” spread with 33” usable length
- Walk-through center for easy access to skid steer cab
- 4,046 lb lift capacity @ 20”
- Highest quality spear forged in Germany



SSBS-3  
w/ extension

## Euro Single Bale Spear

- Handles large round bales of hay or straw
- A single 49” Conus 2 spear centered with 43” usable length
- Two anti-rotation spikes at 30” spacing
- 4,046 lb lift capacity @ 20”
- Highest quality spear forged in Germany



EBS-1

Bale Spears	Model	Description	Weight	Overall L x W x H	Working Length	# Spears	Spear Length	Spear Type	Spear thickness	Spear Capacity
	SSBS-1	Skid Steer Single Bale Spear	135 lb.	52”L x 45”W x 19”H	43” L	1	49”	Conus 2	1.73”	4046 lb.
	SSBS-2	Skid Steer Bale Spear	222 lb.	51”L x 46”W x 23”H	43” L	2	49”	Conus 2	1.73”	4046 lb.
	SSBS-3	Skid Steer Bale Spear	230 lb.	41”L x 46”W x 23”H	33” L	3	39”	Conus 2	1.73”	4046 lb.
	SSBS Extension 1027610	Extension Available for SSBS-2 and SSBS-3	34 lb.	40”L x 2”W x 4”H	7” L		10” Spikes		1”	34 lb.
	EBS-1	Euro Single Bale Spear	121 lb.	52”L x 42” W x 21”H	43” L	1	49”	Conus 2	1.73”	4046 lb.

# Pallet Forks



Norden Skid Steer Pallet Forks are available in two different options. Both models have a walk through integrated backrest allowing a 2,500lb. or 4,000lb. load capacity and feature an overall fork thickness of 1.18" or 1.38".

Norden Euro Pallet Forks have a fully removable backrest with a 5,500lb. load capacity and feature an overall fork thickness of 1.57". The forks are made in the USA.

## Skid Steer Pallet Fork 2500

- Adjustable width of 44.5" in 3" increments
- Walk-through integrated backrest
- Fork Length / Width / Thickness  
48" x 3" x 1.18" forks
- 2,500 lb lift capacity



SSPF 2500

## Skid Steer Pallet Fork 4000

- Adjustable width of 44.5" in 3" increments
- Walk-through integrated backrest
- Fork Length / Width / Thickness  
48" x 4" x 1.38" forks
- 4,000 lb lift capacity



SSPF 4000

## Euro Pallet Fork 5500

- Adjustable width of 47" in 3" increments
- Full removable backrest
- Fork Length / Width / Thickness  
48" x 4" x 1.57" forks
- 5,500 lb lift capacity



EPF 5500

	Model	Description	Weight	Overall L x W x H	Load Capacity	Fork Length	Fork Width	Fork Thickness	Adjustable Width
Pallet Forks	SSPF 2500	Skid Steer Pallet Fork	300 lb.	57"L x 49"W x 36"H	2,500 lb.	48.00"	3.00"	1.18"	Up to 44.5" in increments of 2.875"
	SSPF 4000	Skid Steer Pallet Fork	356 lb.	57"L x 49"W x 36"H	4,000 lb.	48.00"	4.00"	1.38"	Up to 44.5" in increments of 2.875"
	Center Fill Weldment 1032630	Additional backrest support (eliminates walk-through)	18 lb.	17.87"L x 4"W x 15.5"H					
	EPF 5500	Euro Pallet Fork	411 lb.	59"L x 47.5"W x 36"H	5,500 lb.	48.00"	4.00"	1.57"	Up to 47" in increments of 3"



# Skid Steer Loader Buckets

Norden Skid Steer Loader Buckets are engineered for lasting performance and toughness. Designed with reinforced edges and a sturdy frame, these buckets are crafted to tackle any task with ease. Their generous capacity enables efficient scooping, carrying, and depositing of diverse materials like soil, gravel, sand, and debris. Whether in construction, landscaping, agriculture, or other industries, our Skid Steer buckets are essential for smooth material handling operations.

## Skid Steer Utility Short 72"

- Overall 36"L x 74"W x 25.5"H
- 15.7 cu ft Struck Capacity
- 3/4" X 8" bolt on reversible cutting edge



SSB-72US

## Skid Steer Low Long 78"

- Overall 42"L x 80"W x 23"H
- 16.4 cu ft Struck Capacity
- 3/4" X 8" bolt on reversible cutting edge
- Cutting edge visible from cab



SSB-78LL

## Skid Steer Utility Short 84"

- Overall 36"L x 86"W x 25.5"H
- 18.3 cu ft Struck Capacity
- 3/4" X 8" bolt on reversible cutting edge



SSB-84US

## Skid Steer Low Long 84"

- Overall 42"L x 86"W x 23"H
- 17.7 cu ft Struck Capacity
- 3/4" X 8" bolt on reversible cutting edge
- Cutting edge visible from cab



SSB-84LL

	Model	Description	Weight	Overall L x W x H	Struck Capacity	Heaped Capacity
<b>Loader Bucket</b>	SSB-72US	Skid Steer Bucket 72 Utility Short	552.2 lb.	36"L x 74"W x 25.5"H	15.7 cu ft	19.3 cu ft
	SSB-78LL	Skid Steer Bucket 78 Low Long	617 lb.	42"L x 80"W x 23"H	16.4 cu ft	21.5 cu ft
	SSB-84US	Skid Steer Bucket 84 Utility Short	615.2 lb.	36"L x 86"W x 25.5"H	18.3 cu ft	22.6 cu ft
	SSB-84LL	Skid Steer Bucket 84 Low Long	642.9 lb.	42"L x 86"W x 23"H	17.7 cu ft	23.2 cu ft

# Euro Loader Buckets



The Norden Euro Loader Bucket's design includes a strong frame, reinforced edges, and a spacious capacity, enabling it to scoop, carry, and deposit various materials such as soil, gravel, sand, and debris with ease. This bucket gives the operator exceptional maneuverability and precise control, proving to be an indispensable tool for construction, landscaping, agriculture, and other industries requiring efficient material handling operations.

## Euro Utility Short 72"

- Overall 34.5"L x 73"W x 25.5"H
- 18.7 cu ft Struck Capacity



EB-72US

## Euro Utility Short 82"

- Overall 34.5"L x 83"W x 25.5"H
- 21.4 cu ft Struck Capacity



EB-82US

## Euro Standard Long 82"

- Overall 37"L x 83"W x 30.5"H
- 29.0 cu ft Struck Capacity



EB-82SL

## Euro Standard Long 94"

- Overall 37"L x 95"W x 30.5"H
- 34.0 cu ft Struck Capacity



EB-94SL

	Model	Description	Weight	Overall L x W x H	Struck Capacity	Heaped Capacity
<b>Loader Bucket</b>	EB-72US	Euro Bucket 72 Utility Short	462.4 lb.	34.5"L x 73"W x 25.5"H	18.7 cu ft	23.2 cu ft
	EB-82US	Euro Bucket 82 Utility Short	505.1 lb.	34.5"L x 83"W x 25.5"H	21.4 cu ft	26.6 cu ft
	EB-82SL	Euro Bucket 82 Standard Long	578 lb.	37"L x 83"W x 30.5"H	29.0 cu ft	34.6 cu ft
	EB-94SL	Euro Bucket 94 Standard Long	651.9 lb.	37"L x 95"W x 30.5"H	34.0 cu ft	39.8 cu ft

# Crowning Grader

The Crowning Grader is designed to eliminate potholes and washboarding while creating a crowned profile of your driveway that promotes proper drainage. The hydraulically tilt-able blade allows you to make precise height adjustments, ensuring a smooth and durable crowned surface.

Whether you're a professional contractor or a homeowner looking to improve your driveway, the Crowning Grader is the perfect solution for achieving professional results with ease.

## Crowning Grader

- Overall 61"L x 87"W x 29"H
- Optional 3-Point Hitch
- Hydraulically adjustable Cutting Depth and Crowning Height
- 13 scarifier shanks adjustable in 1" increments
- Reversible blade and wear shoes
- USA-Made with USA Steel



CG84

	Model	Description	Weight	Overall L x W x H
<b>Crowning Grader</b>	CG84-SKD	84" Crowning Grader	944.3 lb.	61"L x 87"W x 29"H
	3-point hitch 1023640	3-point for Crowning Grader	42.4 lb.	

# Box Scraper

The adjustable skid steer mount makes the Norden Box Scraper unique and easy to use. The scarifier shanks give the operator fine tuned adjustability to control the ripping depth.

The box scraper is excellent for renovating hard packed gravel parking lots and driveways. This saves buying new gravel and eliminates potholes.

## Box Scraper

- Adjustable skid steer mount
- Available for Skid Steer or 3-Point hitch or both.
- 7' (84") wide is a perfect fit for the full width of your skid steer or tractor
- Rugged construction
- 9 scarifier shanks adjustable in 1" increments
- Reversible blade and wear shoes
- USA-Made with USA Steel



BS84

	Model	Description	Weight	Overall L x W x H
<b>Box Scraper</b>	BS84 w/ SKD	Equipped with Skid Steer Mount	798 lb.	53"L x 87.25"W 20"H
	BS84 w/ 3-PT	Equipped with 3-point Hitch	717 lb.	43.25"L x 87.25"W 41.25"H
	BS84 w/ SKD-3 PT	Equipped w/ 3-point & Hitch Skid Steer Mount	844 lb.	53"L x 87.25"W 41.25"H

# Specifications



	Model	Description	Weight	Overall L x W x H	Working Length	# Spears	Tine Length	Spear Type	Spear thickness	Spear Capacity
<b>Bale Spears</b>	SSBS-1	Skid Steer Single Bale Spear	135 lb.	52"L x 45"W x 19"H	43" L	1	49"	Conus 2	1.73"	4046 lb.
	SSBS-2	Skid Steer Bale Spear	222 lb.	51"L x 46"W x 23"H	43" L	2	49"	Conus 2	1.73"	4046 lb.
	SSBS-3	Skid Steer Bale Spear	230 lb.	41"L x 46"W x 23"H	33" L	3	39"	Conus 2	1.73"	4046 lb.
	SSBS Extension 1027610	Extension Available for SSBS-2 and SSBS-3	34 lb.	40"L x 2"W x 4"H	7" L		10" Spikes		1"	34 lb.
	EBS-1	Euro Single Bale Spear	121 lb.	52"L x 42" W x 21"H	43" L	1	49"	Conus 2	1.73"	4046 lb.

	Model	Description	Weight	Overall L x W x H	Load Capacity	Fork Length	Fork Width	Fork Thickness	Adjustable Width
<b>Pallet Forks</b>	SSPF 2500	Skid Steer Pallet Fork	300 lb.	57"L x 49"W x 36"H	2,500 lb.	48.00"	3.00"	1.18"	Up to 44.5" in Increments of 2.875"
	SSPF 4000	Skid Steer Pallet Fork	356 lb.	57"L x 49"W x 36"H	4,000 lb.	48.00"	4.00"	1.38"	Up to 44.5" in Increments of 2.875"
	Center Fill Weldment 1032630	Additional backrest support (eliminates walk-through)	18 lb.	17.87"L x 4"W x 15.5"H					
	EPF 5500	Euro Pallet Fork	411 lb.	59"L x 47.5"W x 36"H	5,500 lb.	48.00"	4.00"	1.57"	Up to 44.5" in Increments of 2.875"

	Model	Description	Weight	Overall L x W x H	Struck Capacity	Heaped Capacity
<b>Buckets</b>	SSB-72US	Skid Steer Bucket 72 Utility Short	552.2 lb.	36"L x 74"W x 25.5"H	15.7 cu ft	19.3 cu ft
	SSB-78LL	Skid Steer Bucket 78 Low Long	617 lb.	42"L x 80"W x 23"H	16.4 cu ft	21.5 cu ft
	SSB-84US	Skid Steer Bucket 84 Utility Short	615.2 lb.	36"L x 86"W x 25.5"H	18.3 cu ft	22.6 cu ft
	SSB-84LL	Skid Steer Bucket 84 Low Long	642.9 lb.	42"L x 86"W x 23"H	17.7 cu ft	23.2 cu ft
	EB-72US	Euro Bucket 72 Utility Short	462.4 lb.	34.5"L x 73"W x 25.5"H	18.7 cu ft	23.2 cu ft
	EB-82US	Euro Bucket 82 Utility Short	505.1 lb.	34.5"L x 83"W x 25.5"H	21.4 cu ft	26.6 cu ft
	EB-82SL	Euro Bucket 82 Standard Long	578 lb.	37"L x 83"W x 30.5"H	29.0 cu ft	34.6 cu ft
	EB-94SL	Euro Bucket 94 Standard Long	651.9 lb.	37"L x 95"W x 30.5"H	34.0 cu ft	39.8 cu ft

	Model	Description	Weight	Overall L x W x H
<b>Graders</b>	CG84-SKD	84" Crowning Grader with Skid Steer Mount	944.3 lb.	61"L x 87"W x 29"H
	3-point hitch 1023640	3-point for Crowning Grader	42.4 lb.	
	BS84 w/ SKD	Equipped with Skid Steer Mount	798 lb.	53"L x 87.25"W 20"H
	BS84 w/ 3-PT	Equipped with 3-point Hitch	717 lb.	43.25"L x 87.25"W 41.25"H
	BS84 w/ SKD-3 PT	Equipped w/ 3-point & Hitch Skid Steer Mount	844 lb.	53"L x 87.25"W 41.25"H



Norden Mfg LLC  
4210 Kinsman Rd. NW  
North Bloomfield, OH 44450  
(877) 296-5851  
sales@nordenmfg.com  
www.nordenmfg.com