



NORDEN SYSTEMS 10 Bale Edge

Well suited for small farms

Lower lifting capacity requirements

Bales measuring 36" long may be cross stacked with the 510 Grabber

AE10 Accumulator


- Sets bales down on edge in groups of 5 bales wide and 2 bales long
- Handles 14" x 18" bales 32-40" long

Shipping Dimensions
17'5"L x 7'10"W x 5'7"H

Working Dimensions
17'4"L x 7'10"W x 9'2"H

Approximate Weight
2130 lb

Group Size
75"W x 64-96"L



NORDEN SYSTEMS

10 Bale Edge

510 Grabber



- Picks up the bales 5 wide and 2 long on edge using 25 hooks on 5 bars
- The 10 bale edge group can be picked up from any side of the group
- Handles 14"x18" bales 32-36" long*
- Requires loader with 1500 lb lift capacity**

Shipping Dimensions

82"L x 72"W x 22"H

Working Dimensions

72"L x 72"W

Approximate Weight

680 lb

Lift Capacity Requirement**

1500 lb

KN510 Tie-Grabber



- Picks up the bales 5 wide and 2 long on edge using 25 hooks on 5 bars
- The 10 bale edge group can be picked up from any side of the group
- Handles 14" x 18" bales 32-36" long*
- Requires loader with 1800 lb lift capacity**

Shipping Dimensions

86"L x 78"W x 30"H

Working Dimensions

72"L x 72"W


Approximate Weight

1380 lb

Lift Capacity Requirement**

1800 lb

SQ72 Squeeze



WORKS
WITH

- Picks up tied bundles that are 4, 5, or 6 bales wide and 2 bales long
- For maximum efficiency, it is recommended to pick up as many bales as the loader can safely handle
- 4000 pound max lift capacity**

Shipping Dimensions

77"L x 74"W x 29"H

Working Dimensions

71"L x 67.5-103.5"W x 29"H

Approximate Weight

950 lb

Group Size

72-90"W x 96-108"L

Lift Capacity Requirement

4000 lb



(877) 296-5851
nordenmfg.com

* With no adjustments. An extended version is available for bales longer than 36".

** Lift capacity is an estimate based on an average bale weight of 40-50 pounds. However, it is up to the individual to determine their specific loader requirements.